89479407 WITHIN CALIFORNIA CALL, 1 800-852-7550

Ĺ	WASTE	HAZARDOUS MANIFEST			0001591		_	of / is no	t required	the shaded area: by Federal law.
		me and Mailing Address Aircraft S. Normandi		- Mail	Code: Ca	-59	A. Sta	te Manifest Doc 89	ument Nur 479	407
4. G	Prance pherator's Phi	Siet 213 533	502	00 (2	13) 522-7	231		te Generator's I		15 6 9 8
5. Tr	ansporter 1 C	Company Name		6.	US EPA ID Number		C. Sta	te Transporter's	10 10	0466
7. Tr	ansporter 2 C	Company Name	Services	SICIAIU 8.	US EPA ID Number	367		nsporter's Phon te Transporter's) 2 68 - 3
								nsporter's Phon		
1 N	orris	ility Name and Site Add Industric 5. Boyle M	.5	10.	US EPA ID Number			te Facility's ID 10 0 9 Ility's Phone	705	10993
14	os An	igeles, C		CAD	01917101310	19 9 3		3) 588 13. Total	- 7	<i> </i>
	<u> </u>	ription (Including Proper				No.	Туре	Quantity	Unit Wt/Vo	Waste
a.	aric W.	aste, Cor	rosive L	-iquid,	N.O.S.	A. A. I			G	State 79 EPA/Other
b. C	OT-E	acid) 10 Mater 8478	ial, UN	1 1760	(Doo2)	OIOII	111	0350	9	State 2
] 1 i	ı	1.4.1.1		EPA/Other
c.		· · · · · · · · · · · · · · · · · · ·					1			State
										EPA/Other
d.										State
										EPA/Other
(2)	Waste	riptions for Materials Lis Acceptance acid 0-18 uoric acid ellusolve	No: E 106	Sodil Dissol	um Laury I ved Titanium	n Mill Sulfate 0- 3 9	a. * c.	ndling Codes for	Wastes I	2
BHKB	Waste itric ydrofl utyl C	Acceptance acid 0-19 uoric acid ellusolve	No: E 106 570 0-576 0-470	Sodil Sodil Dissoli Water	"itanium Chem um Laury I ved Titanium 74 -100	n Mill Sulfate 0-39	8. C.	15	b.	Listed Above
NHB SA BULL	Waste itric ydrofl ity/ C pecial Handlii Case cathe able frame	Acceptance acid 0-15 uoric acid ellusolve ng Instructions and Add of accide vapprs to delive Response	No: E 106	Sodio Dissol Water act Ci t wash	itanium Chem um Lauryl ved Titanium 74 - 100 hemtrec into generatol	mill Sulfate 0-39 2+80 5-00 5-00	8. C.	15	b.	Listed Above
NH B IS. STATE	Waste itric idroff uty/ C pecial Handlin Case enthe enthe enthe should sherrator, and are classi	Acceptance acid 0-19 uoric acid ellusolve	No: E 106	Sodil Dissol Water act Ci t wash n to	tanium Chen year Titanium hemtrec into generator Will bill ithis consignment are	Mill Sulfate 0-39 a+ 80 5 e Wo - Vo DAC.	a.	15 121-5 or n 15 a 2402-	5000 ate	Po Porway. ximate
NH B 15. ST by ST 16.	Waste itric ydroff to the case and the case and are classiational governorms and the conoming of the conoming	Acceptance acid 0-18 uoric acid ellusolve ng instructions and Add of accide va PPYS to acide va PPYS to acid	No: E 106 70 -576	Sodi Dissol Water act C the wash n to in all respects regram in place the practicable nment; OR, if i	Hanium Chen Haury I Hanium Chem Trec In to generator Will Bill I this consignment are in proper condition for to reduce the volume method of treatment, am a small quantity ge	Sulfate	a. C. I Um 105 curately by highw	#24-5 or we is a 2402- described above ay according to the generated to currently availa	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	Porway. ximate ris Indu er shipping name e international an
NHB 16.5 F by UE 16.	Waste itric ydroff to the case and the case and are classiational governorms and the conoming of the conoming	Acceptance acid 0 - 15 uoric acid ellusolve In a cid 0 - 15 uoric acid ellusolve In a cid ya Pors bill TcT for S CERTIFICATION: If ified, packed, marked, armment regulations. In quantity generator, I ce ically practicable and the uture threat to human hid select the best waste	No: E 106 70 -576	Dissol Water Control	Hanium Chen Haury I Hanium Chem Trec In to generator Will Bill I this consignment are in proper condition for to reduce the volume method of treatment, am a small quantity ge	Sulfate 0-39 A+ BC Sewo - Vo Disc. fully and acor transport I and toxicity storage, or enerator, I h an afford.	a. C. Jum Jum Jum Jum Jum Jum Jum Ju	#24-5 Or No Lis a 2402- described above ay according to the generated to currently availate a good faith early a good faith early availate a good faith early availate.	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	Porway. xima he eis Indu
NH B 15. S For USA 16.	waste itric idroff case pecial Handlin case and a classi ational gover am a large obe economic resent and fu- meration and d/Typed Nan	Acceptance acid 0 - 15 uoric acid ellusolve In a cid 0 - 15 uoric acid ellusolve In a cid ya Pors bill TcT for S CERTIFICATION: If ified, packed, marked, armment regulations. In quantity generator, I ce ically practicable and the uture threat to human hid select the best waste	itional Information of Control of Contro	Dissol Water Control	thanium Chemical Comments of the small quantity gible to me and that is	Sulfate 0-39 A+ BC Sewo - Vo Disc. fully and acor transport I and toxicity storage, or enerator, I h an afford.	a. C. Jum Jum Jum Jum Jum Jum Jum Ju	#24-5 or we is a 2402- described above ay according to the generated to currently availa	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	Porway. ximate rishipping name e international an e I have determine which minimizes nimize my waste
NH B 15. S In burn 16.	waste itric idroff case pecial Handlin case and a classi ational gover am a large obe economic resent and fu- meration and d/Typed Nan	Acceptance acid 0-14 woric acid ellusolve Inglinstructions and Add of accide yapperson Response b; II TCI f S CERTIFICATION: If ified, packed, marked, arment regulations. quantity generator, I ce ically practicable and it uture threat to human hid d select the best waste Acknowledgement of Re	itional Information of Control of Contro	Sodi Dissol Water act Crit the contents of on all respects represent place represent place of that is available of that is available	thanium Chemical Comments of the small quantity gible to me and that is	Sulfate 0-39 A+ BC Sewo - Vo Disc. fully and acor transport I and toxicity storage, or enerator, I h an afford.	a. C. Jum Jum Jum Jum Jum Jum Jum Ju	#24-5 Or No Lis a 2402- described above ay according to the generated to currently availate a good faith early a good faith early availate a good faith early availate.	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	er shipping name e international an el have determir which minimizes nimize my waste
Printe Printe	waste tricy droff why Copecial Handlin Case a be expensed and are classicational government and freneration and dryped Name a freneration and	Acceptance acid 0-14 woric acid ellusolve Inglinstructions and Add of accide yapperson Response b; II TCI f S CERTIFICATION: If ified, packed, marked, arment regulations. quantity generator, I ce ically practicable and it uture threat to human hid d select the best waste Acknowledgement of Re	No: E 106 70 75 76 77 76 77 77 77 77 77 77	Sodi Dissol Water act Crit the contents of on all respects represent place represent place of that is available of that is available	thanium Chemina Laury I was Trianium Chemina C	Sulfate 0-39 A+ BC Sewo - Vo Disc. fully and acor transport I and toxicity storage, or enerator, I h an afford.	a. C. Jum Just Curately by highw Jof wasidisposal ave made	#24-5 Or No Lis a 2402- described above ay according to the generated to currently availate a good faith early a good faith early available and good faith	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	er shipping name e international an inmize my waste
Printe Printe	waste tricy droff why Copecial Handlin Case a be expensed and are classicational government and freneration and dryped Name a freneration and	Acceptance acid O-14 uoric acid eliusolve Ing Instructions and Add Acceptance Ing Instructions and Add Acceptance Ing Instructions and Add If accid If accid If accid If accid If accid If acceptance Ing Instructions and Add If accid Ing Instructions and Add Ing Instructions and Ing I	No: E 106 70 75 76 77 76 77 77 77 77 77 77	Sodi Dissol Water Act Cit H wash in ToI the contents of oin all respects rogram in place the practicable nment; OR, if I is od that is availa	thanium Chemina Laury I was Trianium Chemina C	Sulfate 0-39 A+ BC Sewo - Vo Disc. fully and acor transport I and toxicity storage, or enerator, I h an afford.	a. C. Jum Just Curately by highw Jof wasidisposal ave made	#24-5 Or No Lis a 2402- described above ay according to the generated to currently availate a good faith early a good faith early available and good faith	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	er shipping name e international are thave determine which minimizes nimize my waste
Printe Printe Printe	waste itric identification and are classistional government of the condition and itrice in the condition and itrice it is a condition and it is a condition and itrice it is a condition and i	Acceptance acid O-14 uoric acid eliusolve Ing Instructions and Add Acceptance Ing Instructions and Add Acceptance Ing Instructions and Add If accid If accid If accid If accid If accid If acceptance Ing Instructions and Add If accid Ing Instructions and Add Ing Instructions and Ing I	No: E 106 70 75 76 77 76 77 77 77 77 77 77	Sodi Dissol Water Act Cit H wash in ToI the contents of oin all respects rogram in place the practicable nment; OR, if I is od that is availa	thanium Chemical Chem	Sulfate 0-39 A+ BC Sewo - Vo Disc. fully and acor transport I and toxicity storage, or enerator, I h an afford.	a. C. Jum Just Curately by highw Jof wasidisposal ave made	#24-5 Or No Lis a 2402- described above ay according to the generated to currently availate a good faith early a good faith early available and good faith	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	er shipping name e international are thave determine which minimizes nimize my waste
Printe 18. T Printe 19. D	waste. itric jdroff itric jdroff case able should senerator iam a large o be economic resent and fueneration and d/Typed Nan d/Typed Nan ansporter 1 d/Typed Nan iscrepancy In	Acknowledgement of Reme	itional Information of 70 of 70 of 70 itional Information of 70 of	Sodil Dissol Water Act Ci H wash To Gi The contents of in all respects rogram in place the practicable nment; OR, if I and that is available S S S	thanium Chemina Laury Tranium Tranium	Sulfate 0-39 A BC Sew I fully and acr transport in transport in the storage, or the storage of the storage o	a. c. lum lu5 curately by highw lisposal ave made	#24-9 Or N e is a 2402- described above ay according to the generated to currently availate e a good faith e	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	er shipping name e international an el have determine which minimizes nimize my waste
Printe Printe 19. D	waste. itric jdroff itric jdroff case able should senerator iam a large o be economic resent and fueneration and d/Typed Nan d/Typed Nan ansporter 1 d/Typed Nan iscrepancy In	Acceptance acid O-is uoric acid eliusolve Ing Instructions and Add of acid eliusolve Ing Instructions and Add of acid ya Pors bill TcT f S CERTIFICATION: Iffied, packed, marked, arment regulations a quantity generator, I ce ically practicable and tr uture threat to human he d select the best waste Acknowledgement of Re me Acknowledgement of Re me adication Space	itional Information of 70 of 70 of 70 itional Information of 70 of	Dissol Water act City To T	thanium Chemina Laury Tranium Tranium	Sulfate 0-39 A BC Sew I fully and acr transport in transport in the storage, or the storage of the storage o	a. c. lum lu5 curately by highw lisposal ave made	#24-9 Or N e is a 2402- described above ay according to the generated to currently availate e a good faith e	b. 7500 Ate Ppro Nor e by propapplicable the degree le to me	er shipping name international are I have determine which minimizes nimize my waste Month Day

Υ Printed/Typed Name

A

Do Not Write Below This Line

Signature

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

19. Discrepancy Indication Space

Month Day

Year

RCRA LAND DISPOSAL RESTRICTION NOTIFICATION

Gon	erator Namo: Povalas Aircraft Company, El	PA ID Number <u>CADO865 / 0005</u>
Man		ate of Shipment. 08-08-9/
EPA	Hazardous Wasto Number D002	
This EPA Wast	notification is hereby submitted to NORRIS ENVI regulations described in 40 CFR Part 268 which pro- os, unless these wastes are treated to meet spec- ment technologies.	oblibit the land disposal of certain hazardous
I hav	e determined that the described on the above listed me exted prior to land disposal.	milest is restricted in its present form and must
۵	WASTE (check one) Liquid hazardous waste including free liquids essociated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L	TREATMENT STANDARD Cyanide Destruction Stabilization
	Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below: (check those that apply)	Metals Recovery Stabilization
	Arsenic and/or compounds (as As) 500 mg/L	
	Cadmium and/or compounds (as Cd) 100 mg/L	
	Chromium (VI and/or compounds as Cr VI) 500 mg/	L4
	. Lead and/or compounds (as Pb) 500 mg/L	
	☐ Mercury and/or compounds (as Hg) 20 mg/L4	
ļ	☐ . Nickel and/or compounds (as Ni) 124 mg/L;	•
	Belenium and/or compounds (as Sc) 100 mg/L and	•
	D Thallium and/or compounds (as Ti) 130 mg/L	
	Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)	Carbon Absorption Steam Stripping Other
	Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal	Incineration, high efficiency boiler, other thermal treatment
×(to 50 ppm Liquid hazardous wastes having a pH less than or equal to two(2)	Neutralization , Stabilization
	The spent solvent wastes specified in 40 CFR 201.31 as EPA Hazardous Wastes Nos F001, F002, F008, F004 and F006	Specify technology used to meet Table CCWE Check constituent(s) on Table CCWE which were reduced below treatment standards
nerco	at recent copy of waste analysis or a description of the knowless certify that all information submitted in this and all associated and information.	edge upon which this notification is based is attached to decuments is complete and accurate to the best of
TINE N	ert G. Tuell, Jr. Sepior Play	t Engineer 08-08-9/
Kol Ignatu	et S. Tuelly, (213).5	33-7926 Jophone Number



4133 Bandini Blvd. Los Angeles, California, 90023 (213) 268-3137 FAX (213) 268-6254

WORK ORDER 007786

EPA NO. **CAD 058018367** FED. TAX NO. **XR 95 - 2769288** WASTE HAULER NO. **139**

HIPPER	MCDONNIELL DOUGLAS CORP.	TIME:
	19503 SO. NORMANDIE AVE.	DATE:
,	TORRANCE, CALIF.	P.O. NUMBER
ILLING ADDRESS	MCDONNELL DOUGLAS CORP.	RELEASE NO.
ADDITEOS _	DEPT. @29711C331-102/P.O. BOX 2	CONTACT
	LONG BEACH, CALIF. 90801	PHONE NO.
	ACDOMISEL DOOGLAS CORP.	
OB ADDRESS	19503 SO. NORMANDIE AVE.	
	TORRANCE, CALIF.	
		_ PHONE
PRIGIN	TORRANCE	DESTINATION
OMMODITY		MANIFEST NO. 39479407
	PROVIDE RUBBER LINED TRUCK TO P	CMP NITRIC AND HYDROFLORIC
VORK PERFORMED		CRRIS INDUSTRIES FOR DISPOSALS.
RUCK NO. 327	PRIVATE PROPERTY TRAILER NO	CAPACITY
TART	PRIVATE PROPERTYTRAILER NO	CAPACITY GROSS HOURS
TART DEFENTION	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS F	CAPACITY GROSS HOURS
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS F	CAPACITY GROSS HOURS RATE TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS RATE TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING
TART DEFINITION	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER
TART	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER
RUCK NO. 327 TART DEFINITION TROUGH TROUGH	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS RATE TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER TOTAL CHARGES
TART DEFINITION TROUGH TROUGH TROUGH TROUGH TOTAL HOURS	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS RATE TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER TOTAL CHARGES
RUCK NO. 327 START OPERATION TRAUEL 1	PRIVATE PROPERTY TRAILER NO. T-19 STOP LOCATION START FINISH HRS USCRANCE 1400 1430	CAPACITY GROSS HOURS TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER DRIVER DRIVER DRIVER